

SLINE2 RANGE

STATION FOR POLISHING AND OTHER FINISHING OPERATIONS

THE BEST QUALITY/PRICE RATIO ON THE MARKET NEW SUCTION AND FILTERING SYSTEM

20% MORE POWER
6 DECIBELS LOWER





Ergonomic

An expressive design, with sleek lines and optimised floor space requirement.

SLINE2 range polishing stations meet the ergonomic standards in force, and provide a work space suited to current requirements.



COMPACT SIZE









Performance

SLINE2 range stations are equipped with a C551 machine with a CREVOISIER high-quality motor spindle, compatible with many of the brand's accessories.









Major innovation

The new CREVOISIER suction and filtering system provides 20% more power than the previous version, while reducing the noise level at your workstation to 62 decibels.













Technical data

recimical data			
MACHINES	C551	C5001	C501
Built-in spindle motor	2.1 kW	2.1 kW	0.75 kW
Touchscreen	high definition	high definition	-
Speed range	100 to 4'500 min ⁻¹	100 to 6'000 min ⁻¹	400 to 3'500 min ⁻¹
			60 to 2'500 min ⁻¹
Centre point height	170 mm	165 mm	155 mm
Noise level	1000 rpm =>52 d	В -	-
	300 rpm =>54 d	В -	-
Voltage	3x400V/3x230V/1x230	V identical C551	identical C551
Compatibility with CREVOIS	SIER tooling range		
SUCTION			
Autonomous	speed 4-15 m/s		
Filtration	access via the front		

OTHER MACHINES AVAILABLE:

• C5001/C501





In the cradle of watchmaking and microtechnology skills





Machining, grinding and finishing centre The versatility of a Swiss army knife, for the full package



Finishing centre in several configurations
An economic solution for tackling new challenges



Collaborative polishing cell developed by polishers for polishers



Compact loading cell equipped with a polyarticulated robot



Compact grinding centre for greener, faster, more efficient and smarter production.

